


Tunable Band Reject Filter Inspection Report

67-3678-01 Rev C
TTR250-3EE

TEST LEVEL				TEST POINT	TEST PARAMETER	LIMIT / UNIT	Serial Number:					
			X	Fc	NOTCH FREQUENCY	MHz	190	250	375			
			X	Fc	ATTENUATION	40 dB MIN.						
			X	Fc	40 dB BANDWIDTH	20 kHz MIN.						
			X	VSWR 1.5 / 1	UPPER LIMT	MHz						
			X	VSWR 1.5 / 1	LOWER LIMIT	MHz						
			X	VSWR 1.5 / 1	BANDWIDTH	*15 MHz MAX.	0.00	0.00	0.00			
			X	VSWR 1.5 / 1	PASSBAND	1.5 / 1	a	a	a			
			X	Fc + 5 MHz	INSERTION LOSS	1.0 dB MAX.						
			X	Fc - 5 MHz	INSERTION LOSS	1.0 dB MAX.						
			X	Fc	DIAL ERROR	+/- 1% MAX	a	a	a			
F.A.		1 / LOT	100%	GOV'T SOURCE INSPECTION			TELONIC ACCEPTANCE			DATE		
				Req'd	YES	C	Stamp		Insp.		Date	Tech.
					NO	C						
TELONIC MODEL NO.							Tunable Band Reject Filter					
TTR250-3EE							* Where VSWR within Notch exceeds 1.5/1					
TELONIC DRAWING NO.				REV.	WORK ORDER NO.							
67-3678-01				C								
CUSTOMER DRAWING NO.				REV.	ENGR.	DATE						
					TC	2/27/1995						